



ATLANTIC HEALTH DATABASE

TABLE OF CONTENTS, LIST OF FIGURES
& LIST OF TABLES

TABLE OF CONTENTS

PART A – DETERMINANTS OF HEALTH

Introduction

Atlantic Region Health Districts
Sources of Data

1.1 Demographics

- 1.1.1 Population 65 and older
- 1.1.2 Urban and rural populations
- 1.1.3 Dependency Ratio
- 1.1.4 Aboriginal Population

1.2 Socio-Economic Determinants

- 1.2.1 Education: Graduation Rates
- 1.2.2 Education: Average Number of Years of Schooling
- 1.2.3 Unemployment
- 1.2.4 Youth Unemployment Rate
- 1.2.5 Long-term Unemployment
- 1.2.6 Low Income
- 1.2.7 Children in Low Income Families
- 1.2.8 Average Personal Income
- 1.2.9 Housing affordability
- 1.2.10 Lone Parent Families
- 1.2.11 Crime Rate: Adults and Youths Charged
- 1.2.12 Decision Latitude at Work

1.3 Social-Psychological Determinants

- 1.3.1 Life Stress
- 1.3.2 Social Support

1.4 Health Behaviours/Lifestyle Determinants

- 1.4.1 Dietary practices – consumption of fruits and vegetables
- 1.4.2 Alcohol Consumption – Frequency of Heavy Drinking
- 1.4.3 Smoking prevalence
- 1.4.4 Age of Smoking Initiation
- 1.4.5 Leisure Time Physical Activity
- 1.4.6 Healthy Weights

1.5 Secondary Prevention – Screening and Immunization

- 1.5.1 Screening
- 1.5.2 Immunization

1.6 Environmental Indicators

- 1.6.1 Exposure to Second-Hand Smoke

PART B – HEALTH OUTCOMES

2.1 Self-Rated Health and Life Expectancy Indicators

- 2.1.1 Self-rated health
 - 2.1.2 Functional health
 - 2.1.3 Life expectancy
 - 2.1.4 Disability-free life expectancy
 - 2.1.5 Potential years of life lost
 - 2.1.6.1 Total mortality - potential years of life lost (PYLL) rate
 - 2.1.6.2 All cancer deaths - potential years of life lost rate
 - 2.1.6.3 Circulatory disease deaths - potential years of life lost rate
 - 2.1.6.4 Respiratory disease - deaths potential years of life lost rate
 - 2.1.6.5 Unintentional injury deaths - potential years of life lost rate
 - 2.1.6.6 Suicide potential years of life lost (PYLL) rate
- Summary – Self-Rated Health and Life Expectancy*

2.2 Limitations on Physical Activity

- 2.2.1 Activity limitation
- 2.2.2 Injuries limiting activities
 - 2.2.2.1 Injuries causing limitation of normal activity
- 2.2.3 Disability days
- 2.2.4 Chronic pain
 - 2.2.4.1 Pain or discomfort that affects activities
 - 2.2.4.2 Severity of chronic pain

Summary – Limitations on Physical Activity

2.3 Mental Health

- 2.3.1 Self-esteem
 - 2.3.2 Risk of depression
 - 2.3.3 Suicide rate
- Summary – Mental Health*

2.4 Reproductive Health

- 2.4.1 Teen pregnancy
 - 2.4.2 Low birth weight
 - 2.4.3 Infant and perinatal mortality
 - 2.4.5 Hysterectomy rate
 - 2.4.6 Caesarean section rate
 - 2.4.7 Vaginal birth after Caesarean (V-BAC)
 - 2.4.8 Chlamydia
 - 2.4.9 Breastfeeding practices
- Summary – Reproductive Health*

PART C – DEATH & DISEASE

3.1 Death Rates

- 3.1.1 Total mortality – age-standardized death rates
 - 3.1.2 Circulatory disease deaths
 - 3.1.2.1 All circulatory disease deaths
 - 3.1.2.2 Ischaemic heart disease deaths
 - 3.1.2.3 Cerebrovascular disease deaths
 - 3.1.2.4 All other circulatory disease deaths
 - 3.1.3 Unintentional injury deaths
 - 3.1.5 AIDS deaths
 - 3.1.6 Cancer deaths (malignant neoplasms)
 - 3.1.6.1 All cancers
 - 3.1.6.2 Lung cancer
 - 3.1.6.3 Colorectal cancer
 - 3.1.6.4 Prostate cancer
 - 3.1.6.5 Female breast cancer
 - 3.1.7 Respiratory disease deaths
 - 3.1.7.1 All respiratory disease deaths
 - 3.1.7.2 Pneumonia and influenza
 - 3.1.7.3 Bronchitis, emphysema and asthma deaths
 - 3.1.7.4 All other respiratory disease deaths
 - 3.1.8 Deaths due to medically treatable diseases
 - 3.1.8.1 Deaths due to medically treatable diseases: cervical cancer
 - 3.1.8.2 Deaths due to medically treatable diseases: bacterial infections
 - 3.1.8.3 Deaths due to medically treatable diseases: pneumonia and unspecified bronchitis
 - 3.1.8.4 Deaths due to medically treatable diseases: hypertensive disease
 - 3.1.9 Thirty day acute myocardial infarction (AMI) in-hospital mortality rate
 - 3.1.10 Thirty day stroke in-hospital mortality rate
- Summary – Death Rates*

3.2 Disease Prevalence

- 3.2.1 Musculoskeletal Disorders: Arthritis/rheumatism
- 3.2.2 Diabetes
- 3.2.3 Asthma
- 3.2.5 High blood pressure
- 3.2.6 Cancer incidence
 - 3.2.6.1 All cancers
 - 3.2.6.2 Lung cancer
 - 3.2.6.3 Colorectal cancer
 - 3.2.6.4 Prostate cancer
 - 3.2.6.5 Female breast cancer
- 3.2.7 HIV

Summary – Disease Prevalence

PART D – HEALTH SERVICE UTILIZATION

Health Service Utilization/Expenditures

- 4.1.1 Contact with health professionals
 - 4.1.1.1 Contact with medical doctors
 - 4.1.1.2 Contact with alternative health care providers
 - 4.1.1.3 Contact with health professionals about mental health
 - 4.1.1.4 Contact with dental professionals
- 4.1.2 Hospitalization
 - 4.1.2.1 Hip fracture hospitalization
 - 4.1.2.2 Pneumonia and influenza hospitalization
 - 4.1.2.3 Injury hospitalization
 - 4.1.2.4 Ambulatory care sensitive conditions hospitalization
 - 4.1.2.5 May not require hospitalization
- 4.1.3 Readmission rates
 - 4.1.3.1 Acute myocardial infarction (AMI) readmission rate
 - 4.1.3.2 Asthma readmission rate
 - 4.1.3.3 Hysterectomy readmission rate
- 4.1.4 Inpatient hospital procedures
 - 4.1.4.1 Coronary artery bypass graft (CABG)
 - 4.1.4.2 Hip replacement
 - 4.1.4.3 Knee replacement
- 4.1.5 Availability of doctors/nurses
 - 4.1.5.1 General/family practitioner and specialist rates
 - 4.1.5.2 Number of nurses
- 4.1.6 Health expenditures

LIST OF FIGURES

- Figure 1. Percentage of the Population 65 years and older, Canada and Atlantic Provinces, 2001
- Figure 2. Population 65 years and older, male and female, as percentage of total population, Canada and Atlantic Provinces, 2002
- Figure 3. Population 65 years and older, male and female, as percentage of total population, Canada, Newfoundland and Labrador, and health regions, 1998
- Figure 4. Population 65 years and older, male and female, as percentage of total population, Canada, Prince Edward Island, Nova Scotia, and health zones and regions, 1998
- Figure 5. Population 65 years and older, male and female, as percentage of total population, Canada, New Brunswick, and health regions, 1998
- Figure 6. Percentage of total population living in urban areas, Canada, Atlantic Provinces, and health districts, 1996
- Figure 7. Atlantic Canada health districts in which the percentage of total population living in urban areas is comparable to that in Canada, 1996
- Figure 8. Atlantic health districts with less than 40% of total population living in urban areas, 1996 (% living in urban areas)
- Figure 9. Dependency ratio, Canada and Atlantic Provinces, 1996
- Figure 10. Atlantic Canada health districts with high dependency ratios, 1998
- Figure 11. Atlantic Canada health districts with dependency ratios markedly lower than the national average, 1998
- Figure 12. Seniors and youth as a percentage of the total population, Canada, and Atlantic Provinces, 1998
- Figure 13. Percentage of children, aged 0-14, to total population, selected health districts, Atlantic Canada, 1998
- Figure 14. Percentage of seniors, aged 65 and older, to total population, selected health districts, Atlantic Canada, 1998
- Figure 15. Aboriginal population as a proportion of total population Canada, Atlantic Provinces, and health districts with a greater percentage of Aboriginal population than the Canadian average, 1996
- Figure 16. Percentage of high school graduates (as percentage of population aged 25-29) and percentage of post-secondary graduates (as percentage of population aged 25-54), Canada and health districts with major urban centers in the Atlantic Provinces, 1996
- Figure 17. Health districts with below-average rates of high school completion, Atlantic Canada, 1996
- Figure 18. Health districts in Atlantic Canada with relatively low rates of post-secondary graduation, compared with the national average, 1996
- Figure 19. Health districts in Atlantic Canada with rates of post-secondary graduation that are closer to the national average, 1996
- Figure 20. Unemployment rate, Canada and Atlantic Provinces, 1996 to 2001
- Figure 21. Declines in unemployment rates, selected health districts, Newfoundland and Labrador, Nova Scotia, and PEI, 1996 and 2001
- Figure 22. Increases in unemployment rates, rural health districts, New Brunswick, 1996 and 2001
- Figure 23. Health districts in Atlantic Canada with unemployment rates below 10%, 2001

- Figure 24. Health districts with unemployment rates at least double the national average, Atlantic Canada, 2001
- Figure 25. Youth unemployment for Atlantic Provinces and Canada between 1996-2001
- Figure 26. Health districts in Atlantic Canada with youth unemployment rates more than double the national average, 2001
- Figure 27. Health districts in Atlantic Canada with youth unemployment rates that are comparable to the national average, 2001
- Figure 28. Declines in youth unemployment, selected health districts in Atlantic Canada, 1996 - 2001
- Figure 29. Increases in youth unemployment, selected health districts in Atlantic Canada, 1996 - 2001
- Figure 30. Selected Atlantic region health districts with high rates of long term unemployment, 1996
- Figure 31. Atlantic region health districts with lower rates of long term unemployment than the national average, 1996
- Figure 32. Selected health districts, Atlantic Canada, with lower rates of low income among economic families than the national average, 1996
- Figure 33. Selected health districts, Atlantic Canada, with higher rates of low income among economic families than the national average, 1996
- Figure 34. Selected health districts, Atlantic Canada, with a lower proportion of low-income unattached individuals than the national average, 1996
- Figure 35. Selected health districts, Atlantic Canada, with a higher proportion of low-income unattached individuals than the national average, 1996
- Figure 36. Children, aged 17 and under, living in low-income families (1995 income), as a proportion of children aged 17 and under living in economic families, Canada and Atlantic Provinces, 1996
- Figure 37. Health districts in Atlantic Canada with a high percentage of children aged 17 and under living in low-income families (1995 income), as a proportion of children aged 17 and under living in economic families, 1996
- Figure 38. Health districts that have a lower percentage of children aged 17 and under living in low-income families (1995 income) than the national average, as a proportion of children aged 17 and under living in economic families, 1996
- Figure 39. Average personal income (1995 income), aged 15 and over, Canada and Atlantic Provinces, 1996 Census (\$)
- Figure 40. Average personal income (1995 income), aged 15 and over, health districts with average income over \$21,000, Atlantic Canada, 1996 Census (\$)
- Figure 41. Average personal income (1995 income), aged 15 and over, health districts with average income under \$18,500, Atlantic Canada, 1996 Census (\$)
- Figure 42. Households spending 30% or more of total household income (1995 income) on housing expenses, as proportion of all households, Canada and Atlantic Provinces, 1996
- Figure 43. Households spending 30% or more of total household income on housing expenses, as proportion of all households, health districts in Atlantic Canada, 1996
- Figure 44. Health districts in Atlantic Canada where the proportion of households spending 30% or more of total income (1995 income) on housing expenses is comparable to the national average, 1996

- Figure 45. Health districts in Atlantic Canada where the proportion of total households spending 30% or more of total income (1995 income) on housing expenses is markedly lower than the national average, 1996
- Figure 46. Female lone parent families as a percentage of all census families, Canada and Atlantic Provinces, 1996 and 2001
- Figure 47. Female lone parent families, urban and rural health districts, Atlantic Canada, 1996
- Figure 48. Atlantic health districts with highest percentages of female lone parent families, as a proportion of all census families, 1996
- Figure 49. Atlantic health districts with lowest percentages of female lone parent families, as a proportion of all census families, 1996
- Figure 50. Decision latitude at work, currently employed workers, aged 15 to 74, Canada and Atlantic Provinces, 1994/95
- Figure 51. Currently employed workers, aged 15-74, male and female, reporting high decision latitude at work, six provinces reporting results, 2000/01
- Figure 52. Currently employed workers, aged 15-74, male and female, reporting low or medium decision latitude at work, six provinces reporting results, 2000/01
- Figure 53. Currently employed workers, aged 15-74, male and female, with high decision latitude at work, health districts in PEI and Nova Scotia, 2000/01
- Figure 54. Currently employed workers, aged 15-74, male and female, with low or medium decision latitude at work, health districts in PEI and Nova Scotia, 2000/01
- Figure 55. Percentage of the population, aged 18 and over, reporting “quite a lot” of life stress, Canada and Atlantic Provinces, 2000/01
- Figure 56. Percentage of the population, aged 18 and over, reporting “quite a lot” of life stress, health districts in Newfoundland and Labrador, male and female, 2000/01
- Figure 57. Percentage of the population, aged 18 and over, reporting “quite a lot” of life stress, health districts in Prince Edward Island and Nova Scotia, male and female, 2000/01
- Figure 58. Percentage of the population, aged 18 and over, reporting “quite a lot” of life stress, health districts in New Brunswick, male and female, 2000/01
- Figure 59. Proportion of the population, aged 12 and over, reporting low levels of social support, selected provinces, 2000/01
- Figure 60. Proportion of the population, aged 12 and over, reporting high levels of social support, selected provinces, 2000/01
- Figure 61. Proportion of the population, aged 12 and over, reporting high levels of social support, Canada and Atlantic Provinces, 1996/97
- Figure 62. Proportion of the population, aged 12 and over, reporting high levels of social support, Newfoundland and Labrador and health districts, 2000/01
- Figure 63. Proportion of the population, aged 12 and over, reporting high levels of social support, health districts in PEI and Nova Scotia, 2000/01
- Figure 64. Proportion of the population, aged 12 and over, reporting high levels of social support, health districts in New Brunswick, 2000/01
- Figure 65. Fruit and vegetable consumption, population aged 12 and over, Canada and Atlantic Provinces, 2000/01
- Figure 66. Proportion of the population, aged 12 and over, eating fewer than 5 servings of fruits and vegetables a day, Newfoundland health districts
- Figure 67. Proportion of the population, aged 12 and over, eating fewer than 5 servings of fruits and vegetables a day, health districts in PEI and Nova Scotia

- Figure 68. Proportion of the population, aged 12 and over, eating fewer than 5 servings of fruits and vegetables a day, New Brunswick health districts
- Figure 69. Proportion of the population, aged 12 and over who are current drinkers, who never had five or more drinks on one occasion in the past 12 months, Canada and Atlantic Provinces, 2000/01
- Figure 70. Proportion of the population, aged 12 and over who are current drinkers, who consume five or more drinks on one occasion 12 or more times a year, Canada and Atlantic Provinces, 2000/01
- Figure 71. Proportion of the population, aged 12 and over who are current drinkers, who have five or more drinks on one occasion 12 or more times a year, Atlantic region health districts with rates lower than or comparable to the Canadian average, 2000/01
- Figure 72. Proportion of the population, aged 12 and over who are current drinkers, who have five or more drinks on one occasion 12 or more times a year, Atlantic region health districts with rates markedly higher than the Canadian average, 2000/01
- Figure 73. Proportion of the population, aged 12 and over who are current drinkers, who have consumed five or more drinks on one occasion 12 or more times in a year in the last 12 months, Newfoundland health districts, 2000/01
- Figure 74. Proportion of the population, aged 12 and over, who are current drinkers who consumed five or more drinks on one occasion 12 or more times in a year in the last 12 months, Prince Edward Island health districts, 2000/01
- Figure 75. Proportion of the population, aged 12 and over who are current drinkers, who have consumed five or more drinks on one occasion 12 or more times in a year in the last 12 months, Nova Scotia health districts, 2000/01
- Figure 76. Proportion of the population, aged 12 and over who are current drinkers, who have consumed five or more drinks on one occasion 12 or more times in a year in the last 12 months, New Brunswick health districts, 2000/01
- Figure 77. Proportion of the population, aged 12 and over, who are daily smokers, Canada and Atlantic Provinces, 2000/01
- Figure 78. Proportion of the population, aged 15 and over, who are current (daily + occasional) smokers, Canada and provinces, 1985 and 2001
- Figure 79. Proportion of the population, aged 15 and over, who are current smokers, Canada, 1965- 2001
- Figure 80. Proportion of the population, aged 12 and over, who are daily smokers, Canada, and Newfoundland and Labrador health districts, 2000/01
- Figure 81. Proportion of the population, aged 12 and over, who are daily smokers, Canada, and PEI and Nova Scotia health districts, 2000/01
- Figure 82. Proportion of the population, aged 12 and over, who are daily smokers, Canada, and New Brunswick health districts, 2000/01
- Figure 83. Proportion of the population, aged 12 and over, who never smoked, Canada and Atlantic Provinces, 2000/01
- Figure 84. Proportion of the population aged 12 and over by age when initiated smoking for the Atlantic Provinces and Canada – 2000/01
- Figure 85. Proportion of the population, aged 12 and over, classified as “physically active” and “physically inactive”, Canada and Atlantic Provinces, 2000/01
- Figure 86. Proportion of the population, aged 12 and over, classified as “physically active,” Newfoundland health districts, 2000/01

- Figure 87. Proportion of the population, aged 12 and over, classified as “physically active,” PEI and Nova Scotia health districts, 2000/01
- Figure 88. Proportion of the population, aged 12 and over, classified as “physically active,” New Brunswick health districts, 2000/01
- Figure 89. Proportion of the population, aged 12 and over, classified as “physically inactive,” Newfoundland health districts, 2000/01
- Figure 90. Proportion of the population, aged 12 and over, classified as “physically inactive,” PEI and Nova Scotia health districts, 2000/01
- Figure 91. Proportion of the population, aged 12 and over, classified as “physically inactive,” New Brunswick health districts, 2000/01
- Figure 92. Proportion of men and women, aged 20-64, excluding pregnant women, for four categories of BMI, Canadian standard, Canada and Atlantic Provinces, 2000/01
- Figure 93. Overweight Canadians (BMI \geq 27), aged 20-64, Canada and provinces, 2000/01
- Figure 94. Overweight Canadians and Atlantic Canadians (BMI \geq 27), aged 20-64, 1994/95-2000/01
- Figure 95. Proportion of overweight men and women (BMI \geq 27), aged 20-64, Newfoundland and Labrador health districts, 2000/01
- Figure 96. Proportion of overweight men and women (BMI \geq 27), aged 20-64, PEI and Nova Scotia health districts, 2000/01
- Figure 97. Proportion of overweight men and women (BMI \geq 27), aged 20-64, New Brunswick health districts, 2000/01
- Figure 98. Proportion of men and women, aged 20-64, excluding pregnant women, for four categories of BMI, international standard, Canada and Atlantic Provinces, 2000/01
- Figure 99. Proportion of the population, aged 20-64, classified as obese (BMI \geq 30), international standard, Canada and Atlantic Provinces, 1994/95 and 2000/01
- Figure 100. Proportion of obese men and women (BMI \geq 30), aged 20-64, PEI and Nova Scotia health districts, 2000/01
- Figure 101. Proportion of obese men and women (BMI \geq 30), aged 20-64, Newfoundland and Labrador health districts, 2000/01
- Figure 102. Proportion of obese men and women (BMI \geq 30), aged 20-64, New Brunswick health districts, 2000/01
- Figure 103. Proportion of women, aged 50 to 69, who have received a routine screening mammogram within the last two years, and those who have not received a mammogram for at least two years, Canada and Atlantic Provinces, 2000/01
- Figure 104. Proportion of women, aged 50 to 69, who have received a routine screening mammogram within the last two years, Atlantic region health districts, 2000/01
- Figure 105. Pap smear testing, as percentage of women aged 18 to 69, Canada and Atlantic Provinces, 2000/01
- Figure 106. Proportion of women, aged 18 to 69, who have received a Pap smear test within the last three years, Atlantic region health districts, 2000/01
- Figure 107. Proportion of men and women, 65 and over, immunized and never immunized for influenza, Canada and Atlantic Provinces, 2000/01
- Figure 108. Proportion of men and women, 12 and over, never immunized for influenza, Atlantic Region health districts, 2000/01
- Figure 109. Proportion of the population, aged 12 and over, reporting exposure to second-hand smoke on most days in the last month, Canada and Atlantic Provinces, 2000/01

- Figure 110. Proportion of the population, aged 12 and over, reporting exposure to second-hand smoke on most days in the last month, PEI and Nova Scotia health districts, 2000/01
- Figure 111. Proportion of the population, aged 12 and over, reporting exposure to second-hand smoke on most days in the last month, New Brunswick health districts, 2000/01
- Figure 112. Proportion of the population, aged 12 and over, reporting exposure to second-hand smoke on most days in the last month, Newfoundland and Labrador health districts, 2000/01
- Figure 113. Population aged 12 and over who report their health as “excellent,” by sex, Canada and Atlantic Provinces, 2000/01
- Figure 114. Female population aged 12 and over who report their health as “excellent,” Canada and selected Atlantic region health districts, 2000/01
- Figure 115. Population aged 12 and over who report their health as “excellent” or “very good,” by sex, Canada and Atlantic Provinces, 2000/01
- Figure 116. Population aged 12 and over who report their health as “excellent” or “very good,” by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 117. Population aged 12 and over who rate their health as “fair or poor,” by sex, Canada and Atlantic Provinces, 2000/01
- Figure 118. Population aged 12 and over who rate their health as “fair or poor,” by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 119. Female population aged 12 and over who rated their health as “excellent,” Canada and Atlantic Provinces, 1994/95 to 2000/01
- Figure 120. Self-reported functional health, population age 12 and over, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 121. “Moderate” or “severe” functional health problems, population aged 12 and over, Canada and selected Atlantic region health districts reporting a higher percentage than Canada, 2000/01
- Figure 122. “Moderate” or “severe” functional health problems, female population aged 12 and over, Canada and selected Atlantic region health districts, 2000/01
- Figure 123. “Very good” or “perfect” functional health, population aged 12 and over, Canada and selected Atlantic region health districts reporting a higher percentage than Canada, 2000/01
- Figure 124. Life expectancy at birth, by sex, Canada and Atlantic Provinces, 1996 and 1999
- Figure 125. Life expectancy at birth, by sex, Canada and selected Atlantic region health districts, 1996
- Figure 126. Life expectancy at age 65, by sex, Canada and Atlantic Provinces, 1996 and 1999
- Figure 127. Life expectancy at age 65, by sex, Canada and selected Atlantic region health districts, 1996
- Figure 128. Disability-free life expectancy at birth, by sex, Canada and selected Atlantic region health districts, 1996
- Figure 129. Disability-free life expectancy at age 65, females, Canada and selected Atlantic region health districts, 1996
- Figure 130. Potential years of life lost due to all causes of death per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 131. Potential years of life lost due to all causes of death per 100,000 population, females, Canada and selected Atlantic region health districts, 1996

- Figure 132. Potential years of life lost due to all cancer deaths per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 133. Potential years of life lost due to all cancer deaths per 100,000 population, by sex, Canada and Nova Scotia health districts, 1996
- Figure 134. Potential years of life lost due to all cancer deaths per 100,000 population, by sex, Canada and Newfoundland and Labrador health districts, 1996
- Figure 135. Potential years of life lost due to all cancer deaths per 100,000 population, by sex, Canada and selected health districts, 1996
- Figure 136. Potential years of life lost due to all circulatory disease deaths per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 137. Potential years of life lost due to all circulatory disease deaths per 100,000 population, by sex, Canada and Nova Scotia health districts, 1996
- Figure 138. Potential years of life lost due to all circulatory disease deaths per 100,000 population, by sex, Canada and New Brunswick health districts, 1996
- Figure 139. Potential years of life lost due to all respiratory disease deaths per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 140. Potential years of life lost due to all respiratory disease deaths per 100,000 population, by sex, selected Atlantic Provinces, and selected Atlantic region health districts, 1996
- Figure 141. Potential years of life lost due to unintentional injury deaths per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 142. Potential years of life lost due to unintentional injury deaths per 100,000 population, by sex, Canada and selected health districts, 1996
- Figure 143. Potential years of life lost due to suicide per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 144. Potential years of life lost due to suicide per 100,000 population, by sex, Canada and selected Atlantic region health districts, 1996
- Figure 145. Potential years of life lost due to suicide per 100,000 population, by sex, Canada and New Brunswick health districts, 1996
- Figure 146. Potential years of life lost due to suicide per 100,000 population, by sex, Canada and Newfoundland and Labrador health districts, 1996
- Figure 147. Population aged 12 and over with activity limitation, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 148. Population aged 12 and over with activity limitation, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 149. Population aged 12 and over with no activity limitation, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 150. Population aged 12 and over reporting no injuries in the past 12 months that limited normal activity, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 151. Population aged 12 and over reporting no injuries in the past 12 months, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 152. Population aged 12 and over reporting no injuries in the past 12 months, by sex, Canada and Atlantic Province health districts with the highest and lowest gender variance, 2000/01

- Figure 153. Population aged 12 and over who sustained injuries in the past 12 months and sought medical attention, by sex, Canada and selected Atlantic Province health districts, 2000/01
- Figure 154. Population aged 12 and over with one or more disability days in a two-week period, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 155. Population aged 12 and over with no disability days in a two-week period, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 156. Population aged 12 and over with no disability days in a two-week period, females, Canada and selected Atlantic region health districts, 2000/01
- Figure 157. Population aged 12 and over with no disability days in a two-week period, males, Canada and selected Atlantic region health districts, 2000/01
- Figure 158. Population aged 12 and over with one or more disability days in a two-week period, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 159. Population aged 12 and over with one or more disability days in a two-week period, in Atlantic region health districts with lower rates than Canada, 2000/01
- Figure 160. Population aged 12 and over with one or more disability days in a two-week period, Canada and selected Atlantic region health districts with a wide gender gap, 2000/01
- Figure 161. Population aged 12 and over reporting no pain or discomfort, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 162. Female population aged 12 and over reporting no pain or discomfort, Canada and selected Atlantic region health districts, 2000/01
- Figure 163. Population aged 12 and over with pain or discomfort that “prevents most activities,” by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 164. Female population aged 12 and over reporting pain or discomfort that “prevents most activities,” Canada and selected Atlantic region health districts, 2000/01
- Figure 165. Population aged 12 and over reporting “severe pain or discomfort,” by sex, Canada and Atlantic Provinces, 2000/01
- Figure 166. Female population aged 12 and over reporting “severe pain or discomfort” for selected health districts compared to Canada, 2000/01
- Figure 167. Self-esteem, population aged 12 and over, Canada and Atlantic Provinces 1994/95
- Figure 168. Population aged 12 and over with low self-esteem, by sex, Newfoundland and Labrador health districts, 2000/01
- Figure 169. Population aged 12 and over with no risk of depression, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 170. Population aged 12 and over with no risk of depression, Canada and selected Atlantic region health districts, 2000/01
- Figure 171. Atlantic region health districts with the smallest proportions of the population, aged 12 and over, with no risk of depression, compared to Canada, 2000/01
- Figure 172. Population aged 12 and over with probable risk of depression, by sex, Canada and selected Atlantic region health districts, 2000/01
- Figure 173. Population aged 12 and over with probable risk of depression, Canada and selected Atlantic region health districts with a wide gender gap, 2000/01
- Figure 174. Age-standardized suicides per 100,000, Canada and Atlantic Provinces, 1996
- Figure 175. Age-standardized suicides per 100,000, Atlantic region health districts where both males and females have a higher suicide rate than Canada, 1996

- Figure 176. Age-standardized suicides per 100,000, males, Canada and selected Atlantic region health districts, 1996
- Figure 177. Age-standardized suicides per 100,000, selected Atlantic region health districts where data for both sexes are available and where both males and females have lower suicide rates than Canada, 1996
- Figure 178. Age-standardized suicides per 100,000, selected Atlantic region health districts where data for females are available and where females have notably lower rates than Canada, 1996
- Figure 179. Age-standardized suicides per 100,000, Canada and selected Atlantic region health districts where data for both sexes are available, illustrating the gender gap in reported suicide rates, 1996
- Figure 180. Teenage pregnancies per 1,000 women aged 15-19, Canada and Atlantic Provinces, 1974, 1994 and 1998
- Figure 181. Pregnancies per 1,000 females aged 15 to 19, by outcome, Canada and Atlantic Provinces, 1998
- Figure 182. Low birth weight (less than 2500 grams) as a percentage of all live births, both sexes, Canada, Atlantic Provinces, and selected Atlantic region health districts, 1997
- Figure 183. Low birth weight (less than 2500 grams) as a percentage of all live births, Canada and Atlantic Provinces, 1997
- Figure 184. Low birth weight (less than 2500 grams) as a percentage of all live births, by infant sex, Canada and selected Atlantic region health districts, 1997
- Figure 185. Infant mortality per 1,000 live births, both sexes, Canada and Atlantic Provinces, 1996
- Figure 186. Infant mortality per 1,000 live births, both sexes, Canada and selected Atlantic region health districts, 1996
- Figure 187. Infant and perinatal mortality per 1,000 live births, Atlantic Provinces and Canada, 1996
- Figure 188. Perinatal mortality per 1,000 live births, selected health districts in the Atlantic Provinces and Canada, 1996
- Figure 189. Hysterectomy per 100,000 females aged 20 and older, Canada, Atlantic Provinces, and reporting Atlantic region health districts, 2002
- Figure 190. Caesarean section rates as a percentage of live births, Canada, Atlantic Provinces, and reporting Atlantic region health districts, 2002
- Figure 191. Vaginal birth after Caesarean section as a percentage of females with previous Caesarean section for selected health districts, Atlantic Canada and Canada, 2001
- Figure 192. Chlamydia per 100,000 population for both sexes (Canada), males/females for the Atlantic Provinces, 2001
- Figure 193. Breastfeeding practices, mothers aged 15-49, as a percentage of all mothers, Canada and Atlantic Provinces, 1996/97
- Figure 194. Breastfeeding practices by mother's age, Canada, 1996/97
- Figure 195. Age-standardized total mortality rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Figure 196. Age-standardized total mortality rate per 100,000, Canada and selected Atlantic health districts, 1996
- Figure 197. Age-standardized total mortality rate per 100,000, males, Canada and selected Atlantic health districts, 1996

- Figure 198. Age-standardized total mortality rate per 100,000 Canada and selected Atlantic health districts, demonstrating differences in the male-female gap, 1996
- Figure 199. Age-standardized all circulatory disease death rate per 100,000, by sex, Canada and Atlantic Provinces, 1996
- Figure 200. Age-standardized all circulatory disease death rate per 100,000, by sex, Canada and Atlantic health districts with the highest circulatory disease death rates in the region, 1996
- Figure 201. Age-standardized all circulatory disease death rate per 100,000, by sex, Canada and Atlantic health districts with the lowest circulatory disease death rates in the region, 1996,
- Figure 202. Age-standardized all circulatory disease death rate per 100,000, females, Canada and selected Atlantic health districts, 1996
- Figure 203. Age-standardized all circulatory disease death rate per 100,000, Canada and selected Atlantic health districts, 1996,
- Figure 204. Age-standardized ischaemic heart disease death rate per 100,000, by sex, Canada and Atlantic health districts with the highest rates in the Atlantic region, 1996
- Figure 205. Age-standardized ischaemic heart disease death rate per 100,000, by sex, Canada and selected Atlantic health districts with rates lower than the national average, 1996
- Figure 206. Age-standardized ischaemic heart disease death rate per 100,000, females, Canada and selected Atlantic health districts, 1996
- Figure 207. Age-standardized ischaemic heart disease death rate per 100,000, Canada and selected Atlantic health districts with a high gender variance, 1996
- Figure 208. Age-standardized cerebrovascular disease death rate per 100,000, Canada and selected Atlantic health districts with high cerebrovascular death rates, 1996
- Figure 209. Age-standardized cerebrovascular disease death rate per 100,000, Canada and selected Atlantic health districts with lower rates than the national average, 1996
- Figure 210. Age-standardized cerebrovascular disease death rate per 100,000, Canada and selected Atlantic health districts with a high gender variance, 1996
- Figure 211. Age-standardized other circulatory disease death rate per 100,000, females, Canada and selected Atlantic health districts, 1996
- Figure 212. Age-standardized other circulatory disease death rate per 100,000, males, Canada and selected Atlantic health districts, 1996
- Figure 213. Age-standardized other circulatory disease death rate per 100,000, males, Canada and selected Atlantic health districts, showing the gender gap, 1996
- Figure 214. Age-standardized unintentional injuries death rate per 100,000, by sex, Canada and Atlantic Provinces, 1996
- Figure 215. Age-standardized unintentional injuries death rate per 100,000, by sex, Canada and selected Atlantic health districts, 1996
- Figure 216. Age-standardized unintentional injuries death rate per 100,000, by sex, Canada and Atlantic health districts with lower rates than the national averages, 1996
- Figure 217. Age-standardized unintentional injuries death rate per 100,000, females, Canada and Atlantic health districts with the highest and lowest rates, 1996
- Figure 218. Age-standardized unintentional injuries death rate per 100,000, females, Canada and Atlantic health districts with notable gender variances, 1996
- Figure 219. Age-standardized all cancer death rate per 100,000, by sex, Canada and Atlantic Provinces, 1996

- Figure 220. Age-standardized all cancer death rate per 100,000, by sex, Canada and selected Atlantic health districts, 1996
- Figure 221. Age-standardized all cancer death rate per 100,000, Canada and Atlantic health districts with rates that are lower than the national averages both for males and for females, 1996
- Figure 222. Age-standardized all cancer death rate per 100,000, females, Canada and Atlantic health districts with the highest and lowest female cancer death rates, 1996
- Figure 223. Age-standardized all cancer death rate per 100,000, Canada and selected Atlantic health districts with a notable gender variance, 1996
- Figure 224. Age-standardized lung cancer death rate per 100,000, by sex, Canada and Atlantic Provinces, 1996
- Figure 225. Age-standardized lung cancer death rate per 100,000, by sex, Canada and selected Atlantic health districts, 1996
- Figure 226. Age-standardized lung cancer death rate per 100,000, by sex, Canada and selected Atlantic health districts with significantly higher rates than the national average, 1996
- Figure 227. Age-standardized lung cancer death rate per 100,000, females, Canada and selected Atlantic health districts with rates significantly below the national average, 1996
- Figure 228. Age-standardized lung cancer death rate per 100,000 for selected Atlantic health districts with a large gender gap in lung cancer death rates, compared to Canada, 1996
- Figure 229. Age-standardized lung cancer death rate per 100,000 showing the Atlantic health districts with the largest and smallest gender gaps, compared to Canada, 1996
- Figure 230. Age-standardized colorectal cancer death rate per 100,000, by sex, Canada and Atlantic health districts with highest colorectal cancer death rates, 1996
- Figure 231. Age-standardized colorectal cancer death rate per 100,000, Canada and selected Atlantic health districts, 1996
- Figure 232. Age-standardized colorectal cancer death rate per 100,000, Canada and Atlantic health districts with wide gender gaps, 1996
- Figure 233. Age-standardized prostate cancer death rate per 100,000 population, Canada and Atlantic Provinces, 1996
- Figure 234. Age-standardized prostate cancer death rate per 100,000 population, Canada and Atlantic health districts with higher rates than the national average, 1996
- Figure 235. Age-standardized female breast cancer death rate per 100,000, Canada and selected Atlantic health districts, 1996
- Figure 236. Age-standardized all respiratory disease death rate per 100,000, by sex, Canada and Atlantic Provinces, 1996
- Figure 237. Age-standardized death rate for all respiratory diseases per 100,000, by sex, Canada and selected Atlantic health districts with high rates, 1996
- Figure 238. Age-standardized all respiratory disease death rate per 100,000, by sex, Canada and selected Atlantic health districts with lower rates than the national average, 1996
- Figure 239. Age-standardized all respiratory disease death rate per 100,000, by sex, Canada and Atlantic health districts, showing gender gaps, 1996
- Figure 240. Age-standardized all respiratory disease death rate per 100,000, Canada and Atlantic health districts with the highest and lowest gender variances, 1996

- Figure 241. Age-standardized pneumonia and influenza death rate per 100,000, by sex, Canada and selected Atlantic health districts with high rates, 1996
- Figure 242. Age-standardized pneumonia and influenza death rate per 100,000, Canada and selected Atlantic health districts with low rates, 1996
- Figure 243. Age-standardized pneumonia and influenza death rate per 100,000, females, Canada and selected Atlantic health districts, 1996
- Figure 244. Age-standardized pneumonia and influenza death rate per 100,000, by sex, Canada and selected Atlantic health districts with a wide gender gap, 1996
- Figure 245. Age-standardized bronchitis, emphysema and asthma death rate per 100,000, by sex, Canada and selected Atlantic health districts, 1996
- Figure 246. Age-standardized bronchitis, emphysema and asthma death rate per 100,000, Canada and selected Atlantic health districts with a wide male-female gap, 1996
- Figure 247. Age-standardized all other respiratory disease death rate per 100,000, females, Canada and selected Atlantic health districts, 1996
- Figure 248. Age-standardized all other respiratory disease death rate per 100,000, females, Canada and Atlantic health districts with the highest and lowest rates, 1996
- Figure 249. Age-standardized all other respiratory disease death rate per 100,000, by sex, Canada and selected Atlantic health districts with high rates, 1996
- Figure 250. Age-standardized all other respiratory disease death rate per 100,000, by sex, Canada and selected Atlantic health districts with the lower than average rates, 1996
- Figure 251. Age-standardized all other respiratory disease death rate per 100,000, Canada and selected Atlantic health districts with wide gender gaps, 1996
- Figure 252. Population aged 12 and over with arthritis/rheumatism, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 253. Population aged 12 and over with arthritis/rheumatism, both sexes, Canada and Atlantic Provinces, 1994/95 and 2000/01
- Figure 254. Population aged 12 and over with arthritis/rheumatism, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 255. Population aged 12 and over with arthritis/rheumatism, by sex, Canada and selected Atlantic health districts, showing the gender gap, 2000/01
- Figure 256. Population aged 12 and over without arthritis, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 257. Population aged 12 and over with diabetes, Canada and Atlantic Provinces, 2000/01
- Figure 258. Population aged 12 and over with diabetes, Canada and Atlantic Provinces, 1994/95 and 2000/01
- Figure 259. Population aged 12 and over with diabetes, Canada and selected Atlantic health districts with higher rates than the national average, 2000/01
- Figure 260. Population aged 12 and over without diabetes, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 261. Population aged 12 and over without diabetes, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 262. Population aged 12 and over with asthma, Canada and Atlantic Provinces, 2000/01
- Figure 263. Population aged 12 and over with asthma, Canada and Atlantic Provinces, 1994/95 and 2000/01
- Figure 264. Population aged 12 and over with asthma, by sex, Canada and selected Atlantic health districts, 2000/01

- Figure 265. Population aged 12 and over with asthma, females, Canada and selected Atlantic health districts, 2000/01
- Figure 266. Population aged 12 and over without asthma, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 267. Population aged 12 and over without asthma, Canada and selected Atlantic health districts, 2000/01
- Figure 268. Population aged 12 and over with high blood pressure, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 269. Population aged 12 and over with high blood pressure, both sexes, Canada and Atlantic Provinces, 1994/95 and 2000/01
- Figure 270. Population aged 12 and over with high blood pressure, by sex, Canada and Atlantic health districts with the highest rates of high blood pressure, 2000/01
- Figure 271. Population aged 12 and over with high blood pressure, Canada and Atlantic health districts with a wide gender gap, 2000/01
- Figure 272. Population aged 12 and over with high blood pressure, Canada and Atlantic health districts with a narrow gender gap, 2000/01
- Figure 273. Population aged 12 and over without high blood pressure, by sex, Canada and selected Atlantic health districts, 2000/01
- Figure 274. Population aged 12 and over without high blood pressure, females Canada and selected Atlantic health districts, 2000/01
- Figure 275. Age-standardized all cancer incidence, rate per 100,000 population, Canada and Atlantic Provinces, 1996 and 1997
- Figure 276. Age-standardized all cancer incidence, rate per 100,000 population, males and females, for selected Atlantic health districts with higher rates than Canada, 1996
- Figure 277. Age-standardized all cancer incidence, rate per 100,000 population, males and females, for selected Atlantic health districts with rates lower than the national average, 1996
- Figure 278. Age-standardized all cancer incidence, rate per 100,000 population, males and females, showing Atlantic health districts with greatest and least gender variance compared to Canada, 1996
- Figure 279. Age-standardized all cancer incidence, rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001
- Figure 280. Age-standardized all cancer incidence, rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 281. Age-standardized all cancer incidence, rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001
- Figure 282. Age-standardized all cancer incidence, rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 283. Age-standardized lung cancer rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1996 and 1997
- Figure 284. Age-standardized lung cancer rate per 100,000 population, Canada and selected Atlantic health districts, 1996
- Figure 285. Age-standardized lung cancer rate per 100,000 population, Canada and selected Newfoundland and Labrador health districts, 1996
- Figure 286. Age-standardized lung cancer rate per 100,000 population, Canada and selected Atlantic health districts, showing gender variations, 1996

- Figure 287. Age-standardized lung cancer rate per 100,000 population, Canada and Atlantic health districts with the highest and lowest female lung cancer rates, 1996
- Figure 288. Age-standardized lung cancer rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001
- Figure 289. Age-standardized lung cancer rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 290. Age-standardized lung cancer rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001
- Figure 291. Age-standardized lung cancer rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 292. Age-standardized colorectal cancer rate per 100,000 population, Canada and Atlantic Provinces, 1996 and 1997
- Figure 293. Age-standardized colorectal cancer rate per 100,000 population, by sex, Canada and selected Atlantic health districts, 1996
- Figure 294. Age-standardized colorectal cancer rate per 100,000 population, Canada and Atlantic health districts with the lowest regional colorectal cancer rates, 1996
- Figure 295. Age-standardized colorectal cancer rate per 100,000 population, by sex, Canada and Atlantic health districts with the greatest and least gender variance, 1996
- Figure 296. Age-standardized colorectal cancer rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001
- Figure 297. Age-standardized colorectal cancer rate per 100,000 population, males, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 298. Age-standardized colorectal cancer rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001
- Figure 299. Age-standardized colorectal cancer rate per 100,000 population, females, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 300. Age-standardized prostate cancer rate per 100,000 population, Canada and Atlantic Provinces, 1996 and 1997
- Figure 301. Age-standardized prostate cancer rate per 100,000 population, Canada and selected Atlantic health districts, 1996
- Figure 302. Age-standardized prostate cancer rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001
- Figure 303. Age-standardized prostate cancer rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 304. Age-standardized female breast cancer rate per 100,000 female population, Canada and Atlantic Provinces, 1992 and 2002
- Figure 305. Age-standardized female breast cancer rate per 100,000 female population, Canada and selected Atlantic health districts, 1996
- Figure 306. Age-standardized female breast cancer rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001
- Figure 307. Age-standardized female breast cancer rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001 (linear trend)
- Figure 308. HIV case rate per 100,000, Canada and Atlantic Provinces, 1999, 2000 and 2001
- Figure 309. “Contact” and “no contact” in the past 12 months with medical doctors, household population aged 12 and over, by sex, Canada and Atlantic Provinces, 2000/01

- Figure 310. “Contact” and “no contact” in the past 12 months with medical doctors, household population aged 12 and over, by sex, Canada and Newfoundland and Labrador health districts, 2000/01
- Figure 311. “Contact” in the past 12 months with medical doctors, household population aged 12 and over, by sex, Canada and Nova Scotia health districts, 2000/01
- Figure 312. “Contact” in the past 12 months with medical doctors, household population aged 12 and over, females, Canada and Atlantic health districts with highest and lowest rates of contact, 2000/01
- Figure 313. “Contact” and “no contact” in the past 12 months with alternative health care providers, household population aged 12 and over, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 314. “No contact” in the past 12 months with alternative health care providers, household population aged 12 and over, females, Canada and selected Atlantic health districts, 2000/01
- Figure 315. “Contact” and “no contact” in the past 12 months with health professionals about mental health, household population aged 12 and over, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 316. “No contact” in the past 12 months with health professionals about mental health, household population aged 12 and over, by sex, Canada and Newfoundland and Labrador health districts, 2000/01
- Figure 317. “No contact” in the past 12 months with health professionals about mental health, household population aged 12 and over, females, Canada and Atlantic health districts with the lowest and highest rates of no contact in the region, 2000/01
- Figure 318. “No contact” in the past 12 months with health professionals about mental health, household population aged 12 and over, males, Canada and selected Atlantic health districts with low and high rates of no contact, 2000/01
- Figure 319. “Contact” and “no contact” in the past 12 months with dental professionals, household population aged 12 and over, by sex, Canada and Atlantic Provinces, 2000/01
- Figure 320. “Contact” in the past 12 months with dental professionals, household population aged 12 and over, by sex, Canada and New Brunswick health districts, 2000/01
- Figure 321. “Contact” in the past 12 months with dental professionals, household population aged 12 and over, by sex, Canada and Newfoundland and Labrador health districts, 2000/01
- Figure 322. “Contact” in the past 12 months with dental professionals, household population aged 12 and over, Canada and selected Atlantic health districts, 2000/01
- Figure 323. Age standardized acute care hospitalization rate for hip fractures, per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Atlantic health districts, 2002
- Figure 324. Age standardized acute care hospitalization rate for hip fractures, per 100,000 population age 65 and older, females, for Canada, Atlantic Provinces, and reporting Atlantic health districts, 2002
- Figure 325. Age standardized acute care hospitalization rate for hip fractures, per 100,000 population age 65 and older, by sex, Canada and selected Atlantic health districts, 2002

- Figure 326. Age-standardized rate of acute care hospitalization for pneumonia and influenza per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Atlantic health districts, 2002
- Figure 327. Age-standardized rate of acute care hospitalization due to injuries resulting from the transfer of energy, per 100,000 population, by sex, Atlantic Provinces, and reporting health districts, 2002
- Figure 328. Age standardized ambulatory care sensitive conditions (ACSC) hospitalization rate, per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting health districts, 2002
- Figure 329. Percentage of hospitalized patients who may not require hospitalization, by sex, Atlantic Provinces, and reporting health districts, 2002
- Figure 330. Risk-adjusted rate of unplanned readmission following discharge for acute myocardial infarction, both sexes, Canada, Maritime Provinces, and reporting health districts, 2002
- Figure 331. Risk-adjusted rate of unplanned readmission following discharge for asthma, both sexes, Canada, Atlantic Provinces, and reporting health districts, 2002
- Figure 332. Risk adjusted rate of unplanned readmission following discharge for hysterectomy, Canada, Atlantic Provinces, and reporting health districts, 2002
- Figure 333. Age-standardized rate of coronary artery bypass graft surgery, per 100,000 population age 20 and over, by sex, Canada, Atlantic Provinces, and reporting health districts, 2002
- Figure 334. Age-standardized rate of total unilateral or bilateral hip replacement surgery, rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Atlantic health districts, 2002
- Figure 335. Age-standardized rate of total unilateral or bilateral knee replacement surgery rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Atlantic health districts, 2002
- Figure 336. General practitioners/family practitioners per 100,000, Canada, Atlantic Provinces, and reporting Atlantic health districts, 1999
- Figure 337. Specialists per 100,000 population, Canada, Atlantic Provinces, and reporting Atlantic health districts, 1999
- Figure 338. Family physicians per 100,000 population, Canada, Provinces, and Territories, 1997 and 2001
- Figure 339. Specialists per 100,000 population, Canada, Provinces, and Territories, 1997 and 2001
- Figure 340. Registered Nurses employed, by Province/Territory of registration, percentage change between 1997 and 2001
- Figure 341. Registered nurses per 10,000 population, Canada and selected Provinces/Territories, 1997-2001
- Figure 342. Per capita total health expenditure, Canada and Atlantic Provinces, 1975, 2000 and 2002 (current dollars/capita)

LIST OF TABLES

- Table A1. Percentage of population living in urban and rural areas, Canada and Atlantic Provinces, 2001
- Table A2. Crime rates per 100,000, adults and youth, male and female, Canada and Atlantic Provinces, 2000
- Table B1. Life expectancy without disability, Canada, 1996 (years)
- Table B2. Canadian men and women reporting activity limitations, 1994/95 – 2000/01, aged 12 and over
- Table B3. Canadian men and women reporting one or more two-week disability days, 1994/95 – 2000/01, population 12 and over
- Table B4. Canadian men and women at risk of depression, 1994/95 – 2000/01,
- Table B5. Low birth weight (less than 2,500 grams), by sex, Canada, annual, 1979-1999, as percentage of all live births
- Table B6. Infant mortality, Canada, rate per 1,000, 1993-1999
- Table B7. Breastfeeding practices, by age group of recent mothers, mothers aged 15 to 49, Canada, 1994/95-1996/97
- Table C1. Female breast cancer, incidence and mortality, Canada, 1995-2002, rate per 100,000 women
- Table C2. Pneumonia and influenza deaths (ICD-9 480-487), age-standardized rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1996
- Table C3. Asthma, by sex, household population aged 4 and over, Canada and Atlantic provinces, 1994/95 – 1998/99,
- Table C4. Cancer incidence rate, by sex, age-standardized rate per 100,000 population, Canada and provinces, annual, 1997
- Table C5. Lung cancer incidence, by sex, age-standardized rate per 100,000 population, Canada and provinces, annual, 1997
- Table C6. Colorectal cancer incidence, by sex, age-standardized rate per 100,000 population, Canada and provinces, annual, 1997
- Table C7. Prostate cancer incidence, by sex, age-standardized rate per 100,000 population, Canada and provinces, annual, 1993-2002
- Table C8. Breast cancer incidence, by sex, age-standardized rate per 100,000 population, Canada and provinces, annual, 1992-2002
- Table 1. Population sex and age breakdown for Canada and Atlantic Provinces, 2001
- Table 2. Urban and rural population, Canada and Atlantic Provinces, 2001
- Table 3. Population aged 65 and over, Canada, Atlantic Provinces and Health Regions, 1998
- Table 4. Urban population as a proportion of total population, Canada, Atlantic Provinces and Health Regions, 1996
- Table 5. Dependency ratio for Canada, Atlantic Provinces and Health Districts 1995-1998
- Table 6. Aboriginal population as a proportion of total population for Canada, Atlantic Provinces and Health Districts, 1996
- Table 7. Education Canada, Atlantic Provinces and Health Districts 1996
- Table 8. Unemployment rate, labour force aged 15 and over, Canada, Atlantic Provinces and Health Districts (percentage) 1996-2001

- Table 9. Youth unemployment rate, labour force aged 15 to 24, Percentage, Canada, Atlantic Provinces and Health Districts 1996-2001
- Table 10. Long-term unemployment rate, labour force aged 15 and over, Canada, Atlantic Provinces and Health Districts 1996
- Table 11. Percentage of low income rate (1995 income), by household status, Canada, Atlantic Provinces and Health Districts 1996
- Table 12. Percentage of children aged 17 and under living in low-income families (1995 income) as a proportion of children aged 17 and under living in economic families, Canada, Atlantic Provinces and Health Districts 1996
- Table 13. Average personal income (1995 income), population aged 15 and over and confidence interval, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 14. Housing affordability, percentage of households spending 30% or more on total household expenses (1995 income), by occupancy status, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 15. Percentage of lone-parent families as a proportion of all census families living in private households, Canada, Atlantic Provinces, 2001
- Table 16. Percentage of lone-parent families as a proportion of all census families living in private households, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 17. Crime rates per 100,000 for adults and youth of both genders for Atlantic Provinces and Canada, 2000
- Table 18. Decision latitude at work, by sex, household population aged 15 to 74 currently employed, Canada and Atlantic Provinces, 1994/95-2000/01
- Table 19. Life stress, by sex, household population aged 18 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 20. Life stress, by sex, household population aged 18 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 21. Life stress, by sex, household population aged 18 and over, Canada and provinces, 1994/95
- Table 22. Percentage of social support, by sex, household population aged 12 and over, Atlantic Provinces and Health Districts, 2000/01
- Table 23. Percentage of social support, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1996/97
- Table 24. Consumption of fruits and vegetables household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 25. Percentage of consumption of fruits and vegetables household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 26. Population with frequency of drinking 5 or more drinks on one occasion in the last 12 months, household population aged 12 and over who are current drinkers, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 27. Percentage of the population with frequency of drinking 5 or more drinks on one occasion in the last 12 months, household population aged 12 and over who are current drinkers, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 28. Frequency of drinking 5 or more drinks on one occasion in the last 12 months, by sex, household population aged 12 and over who are current drinkers, Canada and provinces, 1994/95-1998/99

- Table 29. Smoking initiation (average age) percentage of population aged 12 and over, smokers and former smokers, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 30. Smoking initiation (average age) percentage of population aged 12 and over, smokers and former smokers, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 31. Smoking status, percentage of population aged 12 and over, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 32. Smoking status, percentage of population aged 12 and over, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 33. Smokers in 1994/95 and their smoking status in 1998/99, by sex, household population aged 12 and over, Canada and provinces
- Table 34. Smoking status, by sex, household population aged 12 and over, Canada and provinces, 1994/95-1998/99
- Table 35. Percentage of the population engaged in leisure-time physical activity, aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 36. Percentage of the population engaged in leisure-time physical activity, aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 37. Leisure-time physical activity, by sex, household population aged 12 and over, Canada and provinces, 1994/95-1998/99
- Table 38. Body mass index (BMI), Canadian standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 39. Body mass index (BMI), Canadian standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 40. Body mass index (BMI), Canadian standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada and provinces, 1994/95-1998/99
- Table 41. Body mass index (BMI), international standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 42. Body mass index (BMI), international standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 43. Body mass index (BMI), international standard, by sex, household population aged 20 to 64 excluding pregnant women, Canada and provinces, 1994/95-1998/99
- Table 44. Percentage of screening mammography, women aged 50 to 69, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 45. Percentage of screening mammography, women aged 50 to 69, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 46. Screening mammography, by age group, female household population aged 50 to 69, Canada and provinces, 1996/97
- Table 47. Percentage of pap smears, women aged 18 to 69, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 48. Percentage of pap smears, women aged 18 to 69, Canada, Atlantic Provinces and Health Districts 2000/01
- Table 49. Pap smear, by age group, female household population aged 18 to 69, Canada and provinces, 1994/95-1998/99

- Table 50. Percentage of influenza immunization, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01
- Table 51. Percentage of influenza immunization, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01
- Table 52. Influenza immunization, by sex, household population aged 65 and over, Canada and provinces, 1996/97
- Table 53. Percentage exposed to second-hand smoke (ETS), non- smoking population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 54. Percentage exposed to second-hand smoke (ETS), non-smoking population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 55. Self-rated health, by sex, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01
- Table 56. Self- rated health, by sex, household, population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01
- Table 57. Self-rated health, by sex, household population, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 58. Self-rated health as "very good" or "excellent" in 1994/95 and rating in 1996/97 and 1998/99, by sex, household population aged 12 and over, Canada and Atlantic provinces
- Table 59. Functional health status, by sex, household population aged 12 years and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 60. Functional health status, by sex, household population aged 12 years and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 61. Functional health status, by sex, household population aged 4 years and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 62. Life expectancy - abridged life table, at birth and at age 65, by sex, Atlantic Provinces compared to Canada, 1999
- Table 63. Life expectancy - abridged life table, at birth and at age 65, by sex, Canada and Atlantic Provinces, 1999
- Table 64. Life expectancy - abridged life table, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 65. Life expectancy - abridged life table, at birth and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 66. Life expectancy - abridged life table, at age 65 and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 67. Disability-free life expectancy - abridged life table, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 68. Disability-free life expectancy - abridged life table, at birth and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts 1996
- Table 69. Disability-free life expectancy - abridged life table, at age 65 and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 70. Potential years of life lost rate per 100,000, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 71. Potential years of life lost - all causes of death (ICD-9 001-799, E800-E999), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996

- Table 72. Potential years of life lost - all cancer deaths (malignant neoplasms) (ICD-9 140-208), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 73. Potential years of life lost - all circulatory disease deaths (ICD-9 390-459), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 74. Potential years of life lost - all respiratory disease deaths (ICD-9 460-519), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 75. Potential years of life lost - all unintentional injury deaths (ICD-9 E800-E929, excluding 870-879), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 76. Potential years of life lost - all suicides (ICD-9 E950-E959), rate per 100,000 population and confidence interval, population aged 0 to 74, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 77. Activity limitation, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 78. Activity limitation, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 79. Activity limitation, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 80. Injuries causing limitation of normal activities, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 81. Injuries causing limitation of normal activities, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 82. Disability days in a two-week period, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 83. Disability days in a two-week period, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 84. Disability days in a two-week period, by sex, household population, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 85. Pain or discomfort that affects activities, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 86. Pain or discomfort that affects activities, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 87. Pain or discomfort that affects activities, by sex, household population aged 4 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 88. Severity of pain or discomfort, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and, Health Districts, 2000/01
- Table 89. Severity of pain or discomfort, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and, Health Districts, 2000/01
- Table 90. Severity of pain or discomfort, by sex, household population aged 4 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 91. Self-esteem, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95

- Table 92. Self-esteem, by sex, household population aged 12 and over, Newfoundland and Labrador Health Districts, 2000/01
- Table 93. Risk of depression, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 94. Risk of depression, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 95. Risk of depression, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 96. Suicide (ICD-9 E950-E959), age standardized rate per 100,000, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 97. Suicide (ICD-9 E950-E959), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 98. Suicide (ICD-9 E950-E959), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 99. Suicide (ICD-9 E950-E959), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 100. Teen pregnancy, by outcome of pregnancy and age group, count and rate per 1,000 women aged 15 to 19, Canada, and Atlantic Provinces, 1998
- Table 101. Low birth weight (less than 2,500 grams) as a percentage of all live births, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1996 and 1997
- Table 102. Low birth weight (less than 2,500 grams) as a percentage of all live births and confidence interval, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 103. Low birth weight (less than 2,500 grams) as a percentage of all live births and confidence interval, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1997
- Table 104. Infant and perinatal mortality, rate per 1,000 live births, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 105. Infant mortality, rate per 1,000 live births and confidence interval, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 106. Perinatal mortality, rate per 1,000 births (including stillbirths) and confidence interval, by infant sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 107. Age-standardized rate for hysterectomy provided to inpatients in acute care hospitals, per 100,000 women age 20 and older, Canada, Atlantic Provinces, and Health Districts, 2002
- Table 108. Caesarean section rate as a percentage of live births for Canada, Atlantic Provinces, and Health Districts, 2002
- Table 109. Vaginal-birth-after-Caesarean-section (V-BAC) rate as a percentage of females with previous C-section, Canada, Atlantic Provinces, and Health Districts, 2001
- Table 110. Reported genital chlamydia rates per 100,000 in Canada and Atlantic Provinces by sex, 1995-2001
- Table 111. Breastfeeding practices, mothers aged 15 to 49, Canada and Atlantic Provinces, 1994/95-1996/97
- Table 112. Breastfeeding practices, by age group of recent mothers, mothers aged 15 to 49, Canada, 1994/95-1996/97

- Table 113. Age standardized total mortality rate (ICD-9 001-799, E800-E999), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 114. Total mortality (ICD-9 001-799, E800-E999), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 115. Total mortality (ICD-9 001-799, E800-E999), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 116. Total mortality (ICD-9 001-799, E800-E999), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 117. Age standardized circulatory disease death rate (ICD-9 390-459), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 118. All circulatory disease deaths (ICD-9 390-459), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 119. All circulatory disease deaths (ICD-9 390-459), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 120. All circulatory disease deaths (ICD-9 390-459), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 121. Ischaemic heart disease deaths (ICD-9 410-414), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 122. Ischaemic heart disease deaths (ICD-9 410-414), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 123. Ischaemic heart disease deaths (ICD-9 410-414), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 124. Cerebrovascular disease deaths (ICD-9 430-438), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 125. Cerebrovascular disease (ICD-9 430-438), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 126. Cerebrovascular disease deaths (ICD-9 430-438), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 127. All other circulatory disease deaths (ICD-9 390-409, 415-429, 439-459), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 128. All other circulatory disease deaths (ICD-9 390-409, 415-429, 439-459), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 129. All other circulatory disease deaths (ICD-9 390-409, 415-429, 439-459), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 130. Age standardized unintentional injury death rate (ICD-9 E800-E929, excluding 870-879), Canada, Atlantic Provinces, and Health Districts, 1996

- Table 131. Unintentional injury deaths (ICD-9 E800-E929, excluding 870-879), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 132. Unintentional injury deaths (ICD-9 E800-E929, excluding 870-879), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 133. Unintentional injury deaths (ICD-9 E800-E929, excluding 870-879), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 134. Age standardized AIDS death rate (ICD-9 042-044), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 135. AIDS deaths (ICD-9 042-044), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 136. AIDS deaths (ICD-9 042-044), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 137. AIDS deaths (ICD-9 042-044), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 138. Age standardized cancer (malignant neoplasms) death rate (ICD-9 140-208), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 139. All cancer deaths (malignant neoplasms) (ICD-9 140-208), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 140. All cancer deaths (malignant neoplasms) (ICD-9 140-208), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 141. All cancer deaths (malignant neoplasms) (ICD-9 140-208), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 142. Lung cancer deaths (ICD-9 162), by sex, crude count and confidence interval, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 143. Lung cancer deaths (ICD-9 162), by sex, crude rate per 100,000 population and confidence interval, Canada, Atlantic Provinces and Health Districts, 1996
- Table 144. Lung cancer deaths (ICD-9 162), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 145. Colorectal cancer deaths (ICD-9 153-154), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 146. Colorectal cancer deaths (ICD-9 153-154), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 147. Colorectal cancer deaths (ICD-9 153-154), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 148. Prostate cancer deaths (ICD-9 185), crude count, crude rate per 100,000 population, age-standardized rate per 100,000 population and confidence intervals, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 149. Female breast cancer deaths (ICD-9 174), crude count, crude rate per 100,000 population, age-standardized rate per 100,000 population and confidence intervals, Canada, Atlantic Provinces, and Health Districts, 1996

- Table 150. Age standardized respiratory disease death rate (ICD-9 460-519), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 151. All respiratory disease deaths (ICD-9 460-519), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 152. All respiratory disease deaths (ICD-9 460-519), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 153. All respiratory disease deaths (ICD-9 460-519), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 154. Pneumonia and influenza deaths (ICD-9 480-487), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 155. Pneumonia and influenza deaths (ICD-9 480-487), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 156. Pneumonia and influenza deaths (ICD-9 480-487), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 157. Bronchitis, emphysema and asthma deaths (ICD-9 490-493), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 158. Bronchitis, emphysema and asthma deaths (ICD-9 490-493), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 159. Bronchitis, emphysema and asthma deaths (ICD-9 490-493), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 160. All other respiratory disease deaths (ICD-9 460-519, excluding 480-487, 490-493), crude count and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts
- Table 161. All other respiratory disease deaths (ICD-9 460-519, excluding 480-487, 490-493), crude rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts
- Table 162. All other respiratory disease deaths (ICD-9 460-519, excluding 480-487, 490-493), age-standardized rate per 100,000 population and confidence interval, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 163. Deaths due to medically treatable diseases - cervical cancer (ICD-9 180), age-standardized rate per 100,000 population and confidence interval, women aged 5 to 64, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 164. Deaths due to medically treatable diseases - bacterial infections (ICD-9 001-005, 020-041, 320, 382, 383, 390-392, 680-686, 711, 730), age-standardized rate per 100,000 population and confidence interval, population aged 5 to 64, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 165. Deaths due to medically treatable diseases - pneumonia and unspecified bronchitis (ICD-9 481-486, 490), age-standardized rate per 100,000 population and confidence interval, population aged 5 to 49, by sex, Canada, Atlantic Provinces, and Health Districts, 1996

- Table 166. Deaths due to medically treatable diseases - hypertensive disease (ICD-9 401-405), age-standardized rate per 100,000 population and confidence interval, population aged 5 to 64, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 167. Thirty day acute myocardial infraction and 30 day stroke mortality 2002
- Table 168. Arthritis/rheumatism, asthma, diabetes, and high blood pressure, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 169. Arthritis/rheumatism, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 170. Arthritis/rheumatism, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 171. Diabetes, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 172. Diabetes, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 173. Asthma, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 174. Asthma, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 175. High blood pressure, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts 2000/01
- Table 176. High blood pressure, by sex, household population aged 12 and over, Canada and Atlantic Provinces, 1994/95-1998/99
- Table 177. Age-standardized cancer (malignant neoplasms) incidence (ICD-9 140-208), Canada, Atlantic Provinces, and Health Districts, 1996
- Table 178. All cancer incidence (malignant neoplasms) (ICD-9 140-208), age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 179. All cancer incidence (malignant neoplasms) (ICD-9 140-208), age-standardized rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1976-2001
- Table 180. Lung cancer incidence (ICD-9 162), age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and Health Districts 1996
- Table 181. Lung cancer incidence (ICD-9 162), age-standardized rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1976-2001
- Table 182. Colorectal cancer incidence (ICD-9 153-154), age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 183. Colorectal cancer incidence (ICD-9 153-154), age-standardized rate per 100,000 population, by sex, Canada and Atlantic Provinces, 1976-2001
- Table 184. Prostate cancer incidence (ICD-9 185), age-standardized rate per 100,000 population, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 185. Prostate cancer incidence (ICD-9 185), age-standardized rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001
- Table 186. Female breast cancer incidence (ICD-9 174), age-standardized rate per 100,000 population, Canada, Atlantic Provinces, and Health Districts, 1996
- Table 187. Female breast cancer incidence (ICD-9 174), age-standardized rate per 100,000 population, Canada and Atlantic Provinces, 1976-2001

- Table 188. Rate of positive HIV test reports (per 100,000 population), province/territory and year of test, Canada, 1999-2001
- Table 189. Number of positive HIV test reports by province/territory and year of test, Canada, 1995-2001
- Table 190. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces and Health Districts, 2000/01
- Table 191. Contact with medical doctors, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 192. Contact with alternative health care providers, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 193. Contact with alternative health care providers, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 194. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 195. Contact with health professionals about mental health, by sex, household population aged 12 and over, Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 196. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 197. Contact with dental professionals, by sex, household population aged 12 and over Canada, Atlantic Provinces, and Health Districts, 2000/01
- Table 198. Hip fracture, injury, pneumonia/influenza, and ambulatory care sensitive conditions (ACSC) hospitalization rates, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 199. Acute care hospitalization rate for hip fractures, age standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 200. Acute care inpatient hospitalization for pneumonia and influenza, age-standardized rate per 100,000 population age 65 and older, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 201. Acute care inpatient hospitalization due to injuries resulting from the transfer of energy, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 202. Inpatient ambulatory care sensitive conditions (ACSC), age standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 203. Percentage of patients hospitalized in acute care facilities for conditions or procedures that may not require hospitalization (MNRH), Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 204. Acute myocardial infarction (AMI) and hysterectomy risk adjusted readmission rates, and Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 205. Unplanned readmission following discharge for acute myocardial infarction (AMI), risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 206. Unplanned readmission following discharge for asthma, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002

- Table 207. Unplanned readmission following discharge for hysterectomy, risk adjusted rate (%), both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 208. Coronary artery bypass graft surgery, total unilateral or bilateral hip replacement surgery, and Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 209. Coronary artery bypass graft surgery, age-standardized rate per 100,000 population age 20 and over, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 210. Total unilateral or bilateral hip replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 211. Total unilateral or bilateral knee replacement surgery, age-standardized rate per 100,000 population, by sex, Canada, Atlantic Provinces, and reporting Health Districts, 2002
- Table 212. General/Family practitioners and specialists, rate per 100,000 population, both sexes, Canada, Atlantic Provinces, and reporting Health Districts, 1999
- Table 213. Physicians per 100,000 population by type, Canada, Provinces and Territories, 1997-2001
- Table 214. Number of Registered Nurses employed in nursing by province/territory of registration, 1997-2001
- Table 215. Registered Nurses rate per 10,000 population, Canada and Atlantic Provinces, 1997-2001
- Table 216. Total health expenditure, by province/territory and Canada, 1975 to 2002, current dollars per capita
- Table 217. Total health expenditure, Canada, Provinces and Territories, 1975 to 2002, annual percentage change
- Table 218. Health expenditure by use of funds, by source of finance, 1975-2002, current dollars (millions)
- Table 219. Newfoundland and Labrador health expenditures, 1975-2002, current dollars (millions)
- Table 220. Prince Edward Island health expenditures, 1975-2002, current dollars (millions)
- Table 221. Nova Scotia health expenditures, 1975-2002, current dollars (millions)
- Table 222. New Brunswick health expenditures, 1975-2002, current dollars (millions)
- Table 223. Drug expenditure summary Canada, Provinces and Territories, 1999